

EndExam QUESTION & ANSWER

Accurate study guides, High passing rate!





We offer free update service for one year! http://www.endexam.com Exam : C2090-318

Title : DB2 12 System

Administrator for z/OS

Version: DEMO

- 1.In any disaster recovery scenario, a direct relationship exists between the frequency at which image copies are taken and sent to the recovery site and which of the following?
- A. The ability to perform a RESTORE SYSTEM
- B. Time spent rebuilding indexes at disaster site
- C. The amount of data that could potentially be lost
- D. The total number of incremental image copies made

Answer: C Explanation:

https://www.ibm.com/support/knowledgecenter/beta/bg/SSEPEK 11.0.0/admin/src/tpc/db2

z_disasterrecoveryprep.html

In any disaster recovery scenario, system-wide points of consistency are necessary for maintaining data integrity and preventing a loss of data. A direct relationship exists between the frequency at which you make and send copies to the recovery site and the amount of data that you can potentially lose.

- 2. Which statement is TRUE if the PARAMDEG_DPSI subsystem parameter is set to the default value of 0?
- A. Parallelism for DPSI is disabled
- B. The DB2 optimizer will not consider DPSI for access path selection
- C. DB2 creates multiple child tasks but works on one task at a time when DPSI is used to drive parallelism
- D. DB2 will use the value specified for the PARAMDEG subsystem parameter to control the degree of parallelism when DPSI is used

Answer: D Explanation: 0

Specifies that Db2 uses the value that is specified for the PARAMDEG subsystem parameter, instead of PARAMDEG_DPSI, to control the degree of parallelism when DPSI is used to drive parallelism. This is the default value for the field.

https://www.ibm.com/support/knowledgecenter/en/SSEPEK_12.0.0/inst/src/tpc/db2z_ipf_paramdegdpsi.html

- 3. Which of the following commands can be used to show the client correlation token in order to find details such as the ip-address. port-address and unique-id to identify the distributed transaction?
- A. -DISPLAY LOCATION OB.
- B. -DISPLAY DDF DETAIL
- C. -DISPLAY THREADH DETAIL
- D. -DISPLAY FUNCTION SPECIFIC

Answer: C

- 4. Which of the following is an advantage of role-based security?
- A. If you DROP a role that owns objects, those objects will also be dropped
- B. Within a trusted connection. DB2 allows multiple roles to be associated with any given thread at any point in time
- C. Roles are used to provide a more flexible technique than security group definitions or userids in assigning and controlling authorization
- D. If a role creates an object, a user requires no additional privileges to access the object if the access uses that role as the object owner in the SQL statement

Answer: A

- 5. To simulate a new buffer pool size, what buffer pool parameter is used?
- A. PGFIX
- B. VPSIZE
- C. SPSIZE
- D. AUTOSI2E

Answer: C